

SEQUENCE LISTING

<110> TAKAHASHI Hiroshi
HANADA Shuichi
SUNAGA Makoto

<120> METHOD OF EXAMINING CANCER CELLS AND REAGENT THEREFOR

<130> 0760-0346PUS1

<140> US 10/533,878

<141> 2005-05-05

<160> 17

<170> patentin 3.2

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtcgtga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 3

gaaagggaaa ggggtggaac

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>
 <223> Oligonucleotide reverse primer used in inverse PCR for amplifying
 a region of HTLV-1 gene

<400> 4
 ccagcgacag cccattctat 20

<210> 5
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide probe used for detecting a region of HTLV-1 gene

<400> 5
 ctccaggaga gaaatttagt acac 24

<210> 6
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide forward primer used for measuring pX gene in HTL
 V-1 gene

<400> 6
 ttcccagggt ttggacagag 20

<210> 7
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide reverse primer used for measuring pX gene in HTL
 V-1 gene

<400> 7
 cgaagatagt cccccagaga 20

<210> 8
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1
 gene

<400> 8
 ataccagtc tacgtgtttg gagac 25

<210> 9
 <211> 20
 <212> DNA

<213> Artificial Sequence
 <220>
 <223> Oligonucleotide forward primer used for measuring beta-globin gene
 e
 <400> 9
 acacaactgt gttcactagc 20
 <210> 10
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide reverse primer used for measuring beta-globin gene
 e
 <400> 10
 caacttcacac cacgttcacc 20
 <210> 11
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide probe used for measuring beta-globin gene
 <400> 11
 aacagacacc atggtgcacac tgact 25
 <210> 12
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide forward primer used for measuring PCD1 gene
 <400> 12
 gacaaggctg ccctctccta 20
 <210> 13
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide reverse primer used for measuring PCD1 gene
 <400> 13
 ttaaatacaag accagatgtg gaagac 26
 <210> 14
 <211> 27
 <212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring PCD1 gene

<400> 14

ctttcccaag accaggctgc cacttct

27

<210> 15

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring 4F2 gene

<400> 15

tccttcttgc cggctcaac

19

<210> 16

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring 4F2 gene

<400> 16

gcatccaggc caatctcatc

20

<210> 17

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring 4F2 gene

<400> 17

cgactctacc agctgatgct cttcaccc

28